



TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.
Technical and Test Institute for Construction Prague, SOE

Akreditované zkušební laboratoře, Autorizovaná osoba, Notifikovaná osoba, Oznamovaný subjekt, Subjekt pro technické posuzování, Certifikační orgány, Inspekční orgán / Accredited Testing Laboratories, Authorized Body, Notified Body, Technical Assessment Body, Certification Bodies, Inspection Body • Prosecká 811/76a, Prosek, 190 00 Praha 9, Czech Republic

Notified Body 1020

CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 1020 – CPR – 010041537

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

Thermal insulation products for building equipment and industrial installations – Factory made mineral wool (MW) products according EN 14303:2009+A1:2013

placed on the market under the name or trade mark of

MEGATAŞ TAŞYÜNÜ IZOLASYON A.Ş.
Organize Sanayi Bölgesi 2, Sk 15/2, Yazikonak. Elaziğ – Türkiye

and produced in the manufacturing plant(s):

Organize Sanayi Bölgesi 2, Sk 15/2, Yazikonak. Elaziğ – Türkiye

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 14303:2009+A1:2013

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on 26 July 2019 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The stamp of the Notified Body 1020

Prague, 1 September 2021




Ing. Iveta Jiroutová
Deputy manager of the Notified Body



TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.
Technical and Test Institute for Construction Prague, SOE

Akreditované zkušební laboratoře, Autorizovaná osoba, Notifikovaná osoba, Oznámený subjekt, Subjekt pro technické posuzování, Certifikační orgány, Inspekční orgán / Accredited Testing Laboratories, Authorized Body, Notified Body, Technical Assessment Body, Certification Bodies, Inspection Body • Prosecká 811/76a, Prosek, 190 00 Praha 9, Czech Republic

Annex No. 1
Certificate No. 1020 – CPR – 010041537

EN 14303:2009+A1:2013 MEGABAORD /STARROCK STONE WOOL				
Type	PRODUCTS		Thickness [mm]	Reaction to fire [Class]
Slab/Boards	Non-Coated	MEGABOARD SANAYÍ LEVHASI MEGABOARD INDUSTRIAL BOARD	40-120	A1
	Non-Coated	STARROCK SANAYÍ LEVHASI STARROCK INDUSTRIAL BOARD	40-120	A1
	Non-Coated	WOOLMAX SANAYÍ LEVHASI WOOLMAX INDUSTRIAL BOARD	40-120	A1
	Non-Coated	MEGABOARD KLÍMA LEVHASI MEGABOARD STONE WOOL PRODUCTS	25-50	A1
	Non-Coated	STARROCK KLÍMA LEVHASI STARROCK STONE WOOL PRODUCTS	25-50	A1
	Non-Coated	WOOLMAX KLÍMA LEVHASI WOOLMAX STONE WOOL PRODUCTS	25-50	A1
Pipe	Non-Coated / Aluminium-foil	MEGABOARD TAŞYÜNÜ PREFABRİK BORU MEGABOARD PIPE SHAPED STONE WOOL PRODUCTS	25-100	A1
	Non-Coated / Aluminium-foil	STARROCK TAŞYÜNÜ PREFABRİK BORU STARROCK PIPE SHAPED STONE WOOL PRODUCTS	25-100	A1
	Non-Coated / Aluminium-foil	WOOLMAX TAŞYÜNÜ PREFABRİK BORU WOOLMAX PIPE SHAPED STONE WOOL PRODUCTS	25-100	A1

The stamp of the Notified Body 1020
Prague, 1 September 2021



Ing. Iveta Jiroutová
Deputy manager of the Notified Body



TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.
Technical and Test Institute for Construction Prague, SOE

Akreditované zkušební laboratoře, Autorizovaná osoba, Notifikovaná osoba, Oznámený subjekt, Subjekt pro technické posuzování, Certifikační orgány, Inspekční orgán / Accredited Testing Laboratories, Authorized Body, Notified Body, Technical Assessment Body, Certification Bodies, Inspection Body • Prosecká 811/76a, Prosek, 190 00 Praha 9, Czech Republic

EN 14303:2009+A1:2013 MEGABAORD /STARROCK STONE WOOL

Type	PRODUCTS		Thickness [mm]	Reaction to fire [Class]
Pipe	Aluminium-foil	MEGABOARD Klima Levhası Alüminyum Folyo Kaplı MEGABOARD Stone wool Product Aluminum Foil	25	A1
	Aluminium-foil	STARROCK Klima Levhası Alüminyum Folyo Kaplı STARROCK Stone wool Product Aluminum Foil	25	A1
	Aluminium-foil	WOOLMAX Klima Levhası Alüminyum Folyo Kaplı WOOLMAX Stone wool Product Aluminum Foil	25	A1
	Aluminium-foil	MEGABOARD Şömine Levhası Alüminyum Folyo Kaplı MEGABOARD Chimney Board Aluminum foil faced	25	A1

The stamp of the Notified Body 1020
Prague, 1 September 2021




Ing. Iveta Jiroutová
Deputy manager of the Notified Body